



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

January 24, 2006
JEFFREY J. KING, ESQ.
GRAYBEAL JACKSON HALEY LLP
155-108TH AVENUE, N.E.,
SUITE 350
BELLEVUE WA 98004-5901

Patent No. : 6,887,210 B2
Inventor(s) : Steven C. Quay
Issued : May 3, 2005
For : **DEVICES AND METHODS FOR
OBTAINING MAMMARY FLUID SAMPLES
FOR EVALUATING BREAST DISEASES,
INCLUDING CANCER**
Doc. No. : (2305-007-03)

To Whom It May Concern:

The Certificate of Correction issued on January 24, 2006, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The issue date in the heading of cofc has been incorrectly entered on SB44 form submitted by attorney. In future instances, in the heading of the cofc the patent issue date should be displayed not the filing date or the date of filing of the request for cofc.

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson
(703) 308-8331
For Cecelia Newman, Supervisor
Decisions & Certificates of Correction Branch
(703) 305-8309 / 703-303-8228
cbn